

Injury and Violence

A note about this indicator:


The objectives selected to measure progress for this Leading Health Indicator are presented below. These are only indicators and do not represent all the injury and violence prevention objectives included in Healthy People 2010.

15-15. Reduce deaths caused by motor vehicle crashes.

15-32. Reduce homicides.

Data Sources: Death Certificates.

Motor Vehicle Mortality Rates MA (1994, 2000), US (2000) and HP 2010



Objective: 15-15 Reduce deaths caused by motor vehicle crashes


Sources: Centers for Disease Control and Prevention, National Center for Health Statistics. National Vital Statistics System, 2000. Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths 1994, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

*This rate has been adjusted using the preliminary comparability ratio (CR) provided by the NCHS (May 2001). Please refer to the Appendix for a more detailed explanation.

**2000 are coded according to ICD-10. When comparing data over time between 1994 through 2000, please use the comparability modified rate for years 1994-1998.

Motor Vehicle Mortality Rates Massachusetts 1994-2000



Objective: 15-15 Reduce deaths caused by motor vehicle crashes


Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths 1994, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

Rates for 1994-1998 have been adjusted using the preliminary comparability ratio (CR) provided by the NCHS (May 2001). Please refer to the Appendix for a more detailed explanation.

1999 and 2000 are coded according to ICD-10. When comparing data over time between 1994 through 2000, please use the comparability modified rate for years 1994-1998.

Motor Vehicle-Related Mortality Rates by Gender, Massachusetts 2000




Objective: 15-15 Reduce deaths caused by motor vehicle crashes

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

Motor Vehicle-Related Mortality Rates by Age Groups, Massachusetts 2000




Objective: 15-15 Reduce deaths caused by motor vehicle crashes

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

Motor Vehicle-Related Mortality Rates by Race/Hispanic ethnicity, Massachusetts 2000




Objective: 15-15 Reduce deaths caused by motor vehicle crashes

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

Homicide Mortality Rates MA (1994, 2000), US (2000) and HP 2010



Objective: 15-32 Reduce homicides


Sources: Centers for Disease Control and Prevention, National Center for Health Statistics. National Vital Statistics System. 2000.
Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths 1994, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

1994-1998 rates have been adjusted using the preliminary comparability ratio (CR) provided by the NCHS (May 2001). Please refer to the Appendix for a more detailed explanation.

1999 and 2000 are coded according to ICD-10. When comparing data over time between 1994 through 2000, please use the comparability modified rate for years 1994-

Homicide Mortality Rates Massachusetts 1994-2000



Objective: 15-32 Reduce homicides


Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths 1994, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

1994-1998 have been adjusted using the preliminary comparability ratio (CR) provided by the NCHS (May 2001). Please refer to the Appendix for a more detailed explanation. Comparability ratio is not applicable for years prior to 1994.

1999 and 2000 data are coded according to ICD-10. When comparing data over time between 1994 through 2000, please use the comparability modified rate for years 1994-1998.

Homicide Mortality Rates by gender, Massachusetts 2000




Objective: 15-32 Reduce homicides

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

Homicide Mortality Rates by Age Group Massachusetts 2000




Objective: 15-32 Reduce homicides

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths, 2000.

Rates are per 100,000 age-adjusted to the 2000 US standard population.

**Homicide Mortality Rates by Race/ethnicity
Massachusetts 2000**



Objective: 15-32 Reduce homicides

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. Massachusetts Deaths, 2000.
Rates are per 100,000 age-adjusted to the 2000 US standard population.

